

TAKSTAR® 得胜



TAKSTAR
E8W 领夹版
LAVALIER

无线扩音器
Wireless Voice Amplifier

使用手册 User Manual

■ 前言

尊敬的用户：

感谢您选购得胜E8W（领夹版）无线扩音器，为了您能够更好地了解使用本产品，建议您在使用前仔细阅读本说明书。

若存在有疑问或者您有宝贵的建议，可通过拨打得胜官方服务热线400 6828 333或微信扫描二维码关注得胜官方公众号与我们联系。



■ 产品特性

- 一款便携式大功率无线扩音器，适用于教学、导游、培训、促销等场合；
- 搭配新款无线领夹麦克风，小巧轻便一夹即用，开机自动配对操作简单；
- 采用2.4G无线技术，抗干扰传输稳定，使用距离约20米（室内）；
- 选用稀土材质扬声器，25W功率输出，音质好、声音大；
- 具有音乐播放功能，支持无线播放、U盘、TF卡上的多媒体音频文件播放；
- 扩音器内置大容量锂电池，可循环充电使用，续航时间约20小时；
- 配备LED数码显示屏，方便实时了解扩音器工作状态；
- 特殊的技术结构设计，产品具有防粉尘功能，使产品质量更稳定耐用。

■ 适用范围

- 适用于教学、导游、培训、促销等场合

■ 产品配置

扩音器	1台
无线领夹麦克风	1个
充电线	1条
肩带	1条
说明书	1份
有线头戴麦克风	1个
挂绳	1根

■ 技术参数

主机参数

- 频率响应：80Hz-12kHz
- 峰值功率：25W
- 扬声器阻抗：4Ω
- 媒体播放：TF卡, U盘, 支持 64G及以下
- 媒体格式：MP3、WAV
- 电池类型：锂离子电池
- 电池规格：3.7V/5200mAh
- 充电规格：USB 5V/1000mA
- 充电时间：约5小时左右
- 使用时间：20小时左右
- 产品规格：125×105×55mm
- 单机重量：约340g


领夹麦克风参数

- 拾音器：背极式驻极体
- 指向性：单指向
- 频率响应：60Hz-16kHz
- 灵敏度：-50±3dB
- 使用距离：无干扰环境约20米（室内）
- 电池类型：锂离子电池
- 电池容量：3.7V/240mAh
- 充电规格：5V=150mA
- 充电时间：约2小时
- 使用时间：约6-7小时
- 净重：约30g

注：以上数据由得胜实验室测试得到，并拥有最终解释权！

■ 功能示意

扩音器



- ① 电源开关：长按开启/关闭扩音器。
- ② LED显示屏：显示当前的工作模式、电池电量等信息。有五种工作模式，分别为蓝牙模式、USB模式、TF卡模式、音频输入模式、录音模式。“”为电池电量符号，当电池电量充足时，电量符号不显示；当电池符号闪烁预警时，表示电池电量不足，需及时充电。充电时，电池电量符号亮起，充满电时，电池电量符号熄灭。15分钟后无任何操作时，显示屏出现“———”符号，表示扩音器进入待机状态，按任意键即可唤醒。
- ③ 音量“+”按键：点按该按键音量逐渐增大。
- ④ 音量“-”按键：点按该按键音量逐渐减小。

⑤ “M” 模式切换键：开机状态下，短按该键可切换工作模式，并伴随相应的语音提示。当接入AUX音源或插入TF卡时，以音频输入模式或TF卡模式为优先。在插有储存器及接通麦克风的情况下，长按此键进入录音模式并且显示屏出现“REC”符号及语音提示“录音模式”。录音过程显示屏“00: 00”数值变动，表示录音时长，录制完成时长按此键可退出并保存录音。退出录音模式后，会自动循环播放刚才的录音。

⑥  上一曲按键：短按切换上一曲，长按可减少混响效果。

⑦  播放/暂停按键：短按该按键控制音乐的播放及暂停，长按该按键进入/退出单曲循环模式；蓝牙模式下，长按该按键退出蓝牙模式。

⑧  下一曲按键：短按切换下一曲，长按可增加混响效果。

⑨ TF卡插槽：按照正确插卡方向插入TF内存卡。插入时，听到“哒”一声，表示已安装到位；取卡时把卡往下按压，听到“哒”一声，TF内存卡将自动弹出来。

提示：请确保TF卡中储存的是MP3、WAV格式的音频文件，否则不能正常读取歌曲文件甚至会有损坏机器的风险；拷入歌曲前请先将TF卡按FAT16、FAT32格式进行格式化，其他方式的格式化（如exFAT、NTFS格式）会导致录音无法保存或者储存的歌曲无法播放。

⑩ U盘插孔：可将存放有音乐文件的U盘插入此孔进行播放。


⑪ MIC IN输入接口：将有线麦克风插头插入此孔，进入有线人声扩音状态。操作时，请不要将麦克风的拾音面朝向扩音器的扬声器，以免产生啸叫。

⑫ AUX IN输入接口：通过Φ3.5mm音频连接线与手机、电脑、平板、MP3等播放设备连接，可将扩音器作为有源音箱使用。

⑬ 充电接口：连接Type-C数据线，请使用规范5V/1A且经过3C认证的充电头为扩音器充电。

⑭ 挂扣：用于安装肩带，可将扩音器斜挂于肩上使用。

领夹麦克风



- ① 电源开关：拨动开关至“ON”位置时开机，拨动开关至“OFF”位置时关机。
- ② 音量调节键：短按“+”键一次增加麦克风音量一个等级，长按音量“+”键为连续增加麦克风音量；短按“-”键一次减少麦克风音量一个等级，长按音量“-”键为连续减少麦克风音量，共9级音量大小调节。
- ③ 工作指示灯：配对时，蓝灯闪烁；配对成功后，蓝灯常亮；电量不足时，指示灯红灯闪烁。
- ④ 充电指示灯：充电过程中，红灯常亮；充满电后，红灯熄灭。
- ⑤ 充电接口：将Type-C充电线插入此孔，另一端连接通用的USB输出充电器，即可进行充电。
- ⑥ 夹子：用于将领夹麦克风稳固夹持于衣领处合适位置使用。

■ 使用说明

一、使用方法

打开扩音器及领夹麦克风电源开关，将自动配对连接，当领夹麦克风指示灯从闪烁变为常亮状态，且对着麦克风说话时扩音器有声音输出，表示已配对成功。如遇信号干扰，可按下面方法重新配对：

1. 配对方法

- ① 同时长按领夹麦克风音量“+”“-”键2秒进入配对搜索状态，领夹麦克风指示灯蓝灯快闪，此时打开扩音器电源开关进行配对。待指示灯从快闪状态变为常亮且对着麦克风说话，扩音器有声音输出，表示配对成功。
- ② 如对着麦克风说话扩音器没声音，表示配对不成功，请按上面方法重新配对。

二、无线播放配对

首次使用本机时，需要与手机或无线播放设备配对连接，步骤如下：

1. 打开扩音器的电源开关，点按“M”键切换到无线播放模式，显示屏出现“BLUE”工作模式时，表示已进入搜索配对状态。
2. 进入手机的“设置”菜单，开启手机的无线播放功能，搜索“TAKSTAR E8W”进行连接，出现语音提示时，表示无线播放已连接成功。
3. 下次开机后选择至无线播放模式时，如果是已进行过配对，将自动回连最后一次使用的播放设备。

■ 安全警示

为避免电击、高温、着火、辐射、爆炸、机械危险以及使用不当等可能造成的人身伤害或财产损失，使用本产品前，请仔细阅读并遵守以下事项：

1. 使用产品时请确认所连设备与本产品是否匹配以及合理调整音量大小，不要在超过产品功率及大音量下长时间使用，以免造成产品异常；
2. 使用中若发现有异常（如冒烟、异味等），请立即关闭电源开关并拔掉电源插头，然后将产品送售后服务网点检修；
3. 消费者若使用电源适配器供电，则应购买配套使用获得CCC认证并满足标准要求的电源适配器；
4. 本产品及附件都应放置在室内干燥通风处，请勿长期存放在潮湿、灰尘多的环境，使用中避免靠近火源、雨淋、进水、过度碰撞、抛掷、振动本机及覆盖通风孔，以免损坏其功能；
5. 若产品需要固定于墙壁或天花板时，请确保固定到位，防止因固定强度不足导致产品发生跌落危险；
6. 使用该产品时需遵守相关安全规定，法律法规明确禁止使用场合请勿使用本产品，以免导致意外事故；
7. 请不要自行拆机改装或维修，以防止出现人身伤害，如有问题或服务需求请联系当地售后服务网点跟进处理。

■ 关于图标含义解释



此符号表示，根据WEEE指令(2012/19/EU)和国家法律，由于这种类型的废弃物会有潜在的有害物质，可能对环境和人类健康产生负面影响，所以本产品不应与您的家庭垃圾一起处置，应将本产品交由授权的电气和电子设备（WEEE）回收站回收。同时，您在正确处理本产品的同时将有助于自然资源的有效利用。如需了解更多有关您可以在何处放置废物回收设备的信息，请联系您当地的城市办事处、废物管理局或家庭废物处理服务部门。

■ 环保说明

产品中有毒有害物质或元素的名称及含量标识表

部件名称	有毒有害物质或元素									
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr(VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)	邻苯二甲酸 二正丁酯 (DBP)	邻苯二甲酸 二异丁酯 (DIBP)	邻苯二甲酸 丁基苄酯 (BBP)	邻苯二甲酸 二(2-乙基)己酯 (DEHP)
塑料部件	○	○	○	○	○	○	○	○	○	○
金属部件	×	○	○	○	○	○	○	○	○	○
电路板组件	×	○	○	○	○	○	○	○	○	○
线缆	×	○	○	○	○	○	○	○	○	○

本表格依据SJ/T 11364的规定编制。
○: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求以下。
×: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572规定的限量要求。

此标志为产品的环保使用期限标志，
且此标志保使用期限只适用于产品正常工作的温度和湿度等条件。



■ 关于本说明书

本说明书中内容符合截止印刷之日的技术规格。由于得胜公司会不断改进产品，本说明书可能不符合您的特定产品的技术规格。要获取最新版说明书，请访问得胜官网，然后下载说明书文件。技术规格、设备或另售的附件在各个地区可能有所不同，如有问题请与当地得胜销售网点确认。如需更多支持和深层产品信息，请浏览得胜官方网站：

<https://www.takstar.com>

版权所有 ©2025 得胜。得胜、TAKSTAR及其各自标志是得胜公司在中国和/或其他国家/地区的注册商标或商标。所有其它商标均是其各自所有者的财产。

■ Preface

Dear Customer,

Thanks for purchasing our product. Read this manual thoroughly to use the product properly.

If you have any questions or suggestions, please contact our local sales service.

■ Features

- Portable, high-power wireless amplifier suitable for teaching, tour guiding, training, and promotions.
- Comes with a compact wireless lapel microphone that pairs automatically when powered on.
- Utilizes 2.4G wireless tech for stable, anti-interference transmission up to about 20 meters (indoor).
- Features a rare earth material speaker with 25W output for excellent sound quality and volume.
- Supports music playback from wireless devices, USB drives, and TF cards.
- Equipped with a large-capacity rechargeable lithium-ion battery for around 20 hours of use.
- Includes an LED digital display for real-time monitoring of amplifier status.
- Designed with a special structure for dust resistance, enhancing durability and stability.

■ Applications

Ideal for teaching, tour guiding, training, and promotions.

■ Package Contents

1 × Voice Amplifier	1 × Wireless Lavalier Mic	1 × Charging Cable
1 × Shoulder Strap	1 × User Manual	1 × Wired Headset Mic
1 × Lanyard		

■ Specifications

Voice Amplifier

- Frequency Response: 80Hz-12kHz
- Peak Power: 25W
- Speaker Impedance: 4Ω
- Supported Media: TF card, USB drive, up to 64GB
- Media Format: MP3, WAV
- Battery Type: Lithium-ion
- Battery Capacity: 3.7V/5200mAh
- Charging Method: USB 5V/1000mA
- Charging Time: Approx. 5 hours
- Usage Time: Approx. 20 hours
- Product Dimensions: 125×105×55mm
- Product Weight: Approx. 340g



Lavalier Microphone

- Transducer: Back-electret condenser
- Directionality: Unidirectional
- Frequency Response: 60Hz-16kHz
- Sensitivity: -50±3dB
- Operating Distance: Approx. 20m (interference-free area, indoor)
- Battery Type: Lithium-ion
- Battery Capacity: 3.7V/240mAh
- Charging Specs: 5V~150mA
- Charging Time: Approx. 2 hours
- Usage Time: Approx. 6-7 hours
- Net Weight: Approx. 30g

Note: The above data are measured by Takstar laboratory which has the final interpretation right!

■ Function Descriptions

Voice Amplifier



- ① Power switch: long press to power on/off the amplifier.
- ② LED display: display information such as the current work mode and battery level. There are five work modes, which are Bluetooth mode, USB mode, TF mode, AUX input mode and Recording mode. "Battery level symbol" is the battery level symbol which does not show when power is sufficient, but flashes when power is low and requires charging in time. While charging, the battery symbol appears and then disappears when fully charged. "———" shows up when the amplifier is idle for 15 minutes and enters standby status. Press any button to wake up the amplifier.

E8W (LAVALIER) Wireless Voice Amplifier


- ③ Volume "+" button: press to gradually increase the volume level.
- ④ Volume "-" button: press to gradually decrease the volume level.
- ⑤ "M" mode button: when powered on, short press it to switch among work modes, accompanied by corresponding voice prompts. Once an AUX audio source or a TF card is inserted, the device will automatically switch to AUX mode or TF mode. While a storage device and a mic are connected, long press this button to enter recording mode, accompanied by a "REC" symbol on LED display and a "Recording mode" voice prompt. During recording, the LED display shows recording duration in "00:00" format. Long press this button again to exit and save recording. Upon exiting recording mode, the device will automatically play the newly recorded audio in a loop.
- ⑥  Previous track button: short press to switch to the previous track; long press to decrease reverberation.
- ⑦  Play/Pause button: short press to play or pause the music; long press to enter/exit single track loop; while in Bluetooth mode, long press to exit Bluetooth mode.
- ⑧  Next track button: short press to switch to the next track; long press to increase reverberation.
- ⑨ TF card slot: insert a TF memory card following the labeled direction until you hear a click to install it in place. To remove the TF card, press it down until it clicks to eject the card.

Tip: Please make sure the audio files in the TF card are stored in MP3 or WAV format, otherwise it won't be readable and may even damage the device. Please format the TF card to FAT16 or FAT32 file system before copying songs, because other file system (e.g., exFAT, NTFS) will cause failure to save recordings or play songs.

E8W (Lavalier) Wireless Voice Amplifier

- ⑩ USB interface: insert a USB flash drive to play audio files.
- ⑪ MIC input: insert a wired mic to start wired voice amplification. Do not point the mic capsule towards the loudspeaker to avoid feedback.
- ⑫ AUX input: connect to a playback device (e.g., phone, tablet, MP3 player) via a Ø3.5mm audio cable, so to use the amplifier as an active speaker.
- ⑬ Charging port: charge the amplifier via a Type-C charging cable. Please use a standard 3C-certified 5V/1A adapter to charge the amplifier.
- ⑭ Strap clip: used to install the shoulder strap for wearing the amplifier across shoulder.

Lavalier Microphone



E8W (LAVALIER) Wireless Voice Amplifier

- ① Power switch: Slide the switch to "ON" to power on, and "OFF" to turn off.
- ② Volume buttons: Press or long press the "+" button to increase the mic volume and the "-" button to decrease it, level by level or continuously, with a total of 9 volume levels.
- ③ Working indicator light: Flashes blue while pairing; solid blue when paired successfully; flashes red if low battery.
- ④ Charging indicator light: Solid red during charging; red light off when fully charged.
- ⑤ Charging port: Insert a USB-C charging cable into this port and connect the other end to a USB charger to charge the mic.
- ⑥ Clip: For fixing the mic to lapel.

■ Operating Instructions

I. Usage Instructions

Turn on the voice amplifier and lavalier mic to auto-pair. When the mic indicator light changes from flashing to steady and the voice amplifier outputs sound while you speak into the mic, pairing is successful.

If there's signal interference, follow below steps to re-pair:

1. Pairing Process

- ① Press and hold the volume "+" and "-" buttons on the lavalier mic simultaneously for 2s to enter pairing mode, the mic indicator light will flash blue rapidly. Immediately power on the voice amplifier to start pairing. When the mic indicator light changes from flashing to steady and the voice amplifier outputs sound while you speak into the mic, pairing is successful.
- ② If no sound output from the amplifier when speaking into the mic, the pairing was unsuccessful. Please repeat the above steps to re-pair.

II. Wireless Playback Pairing

When using this device for the first time, it needs to be paired and connected with a mobile phone or wireless playback device. The steps are as follows:

1. Turn on the power switch of the amplifier. Press the "M" button to switch to the wireless playback mode. When the display shows "BLUE" mode, indicating it is in search and pairing mode.
2. On your phone, access the "Settings" menu and enable the wireless playback function. Search for "TAKSTAR E8W" and connect to it. A voice prompt will confirm the successful wireless playback connection.
3. Next time you power on the device and select the wireless playback mode, if it has been previously paired, it will automatically reconnect to the last used playback device.

■ Safety Instructions

To avoid electric shock, overheat, fire, radiation, explosion, mechanical risk and injury or property loss due to improper use, please read and observe the following items before use:

1. Please check if the power of the connected equipment matches with that of this product before operation. Adjust the volume to proper level during operation. Do not operate at over-power or high-volume level for extended time to avoid product malfunction.
2. If there is any abnormality during use (e.g., smoke, strange odor), please kill the power switch and unplug from power source, then send the product to the local after-sales service for repair.
3. Power adapter used, if any, should be approved by CCC certification or similar standards and comply with the power supply requirements.
4. Keep this product and its accessories in a dry and ventilated area. Do not store in a humid or dusty area for extended time. Keep away from fire, rain, liquid intrusion, bumping, throwing, vibrating, or from blocking any ventilation openings, to prevent malfunction.
5. The product must, when installed on walls or ceilings, be fixed firmly in place at adequate strength to prevent from falling.
6. Please abide by safety rules during operation. Do not use the product in places prohibited by laws or regulations to avoid accident.
7. Do not disassemble or repair the product by yourself to avoid injury. If you have any questions or require any services, please contact our local after-sales service.

■ Label Meanings

 This symbol indicates that this product should not be disposed of with your household waste, according to the WEEE directive (2012/19/EU) and your national law. This product should be handed over to an authorized collection site for recycling waste electrical and electronic equipment (WEEE). Improper handling of this type of waste could have a possible negative impact on the environment and human health due to potentially hazardous substances that are generally associated with WEEE. At the same time, your cooperation in the correct disposal of this product will contribute to the effective usage of natural resources. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, waste authority, or your household waste disposal service.

■ About This Manual

This manual contains up-to-date technical specifications as of printing. However, specifications contained herein may not conform to your particular product since Takstar is constantly improving its products. Also, specifications, devices or accessories available may vary from region to region. If you have any questions, please contact our local sales outlet. For the latest version/more information, please visit our website: <https://www.takstar.com/>

Copyright ©2025 TAKSTAR. TAKSTAR, 得胜 and their respective logos are registered trademarks or trademarks of Guangdong Takstar Electronic Co., Ltd. in the PRC, and/or other countries. All other trademarks are the property of their respective owners.

注意事项：

姓名：_____ 电话：_____ 地址：_____

商品：_____ 型号：_____ 购买日期：_____ 年 _____ 月 _____ 日

1. 本单为保修凭证，请用户妥善保管，如有丢失，恕不保修或退换。
2. 保修期限：购买之日起十二个月内。
3. 除了不可抗力事件损坏外，由本公司负责，免费维修。
4. 如属保管不善或使用不当造成的损坏，维修点将酌情收费。
5. 擅自拆卸维修者，不予保修。
6. 以上保修条款仅限于中国市场适用（不含港澳台地区）。

产品服务保证书

维修记录栏（由维修员填写）	维修员签名	日期

◆ 广东得胜电子有限公司 ◆ 电话：400-6828-333 ◆ 地址：广东省惠州市博罗县龙溪街道富康一路2号



扫一扫，了解更多产品

Scan for more

product information

**广东省电声工程技术研究开发中心
广东得胜电子有限公司制造**

地址：广东省惠州市博罗县龙溪街道富康一路2号

服务热线：400 6828 333 传真：0752 6383950

邮箱：xs@takstar.com

网址：www.takstar.com

Guangdong Takstar Electronic Co., Ltd.

Address: No. 2 Fu Kang Yi Rd., Longxi Boluo

Huizhou, Guangdong 516121 China

Tel: 86 752 6383644 Fax: 86 752 6383952

Email: sales@takstar.com

Website: www.takstar.com